

VISIBLE EMISSION NOTATIONS

Inspector:	Darren Cudjoe	
Date of Inspection:	10-1-2013	
Shift: 1 st Shift or 2 nd Shift	Time: 6:00	

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	Nor	—
Visible Emission From Discharge Conveyor System	Nor	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Sept 1, 13	
Shift:	1 st Shift or 2 nd Shift	Time: 500

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each ...
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smelko	
Date of Inspection:	Oct 2, 13	
Shift:	1 st Shift or 2 nd Shift	Time: 5:00

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	nor	-
Visible Emission From Discharge Conveyor System	nor	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Oct 3, 13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Day
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Darren Andjole</i>	
Date of Inspection:	<i>10-5-2013</i>	
Shift: <u>1st Shift</u> or 2 nd Shift	Time:	<i>6:00 p.m.</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	-
Visible Emission From Discharge Conveyor System	<i>Nor</i>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

VISIBLE EMISSION NOTATIONS

Inspector:	Darren Andjor		
Date of Inspection:	10-5-2013		
Shift: 1 st Shift or 2 nd Shift	Time:	6:00 p.m.	

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	Nor	-
Visible Emission From Discharge Conveyor System	Nor	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Stanger</u>
Date of Inspection: <u>10/6/13</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>17:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>None</u>	-
Visible Emission From Discharge Conveyor System	<u>None</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Darren Adge</i>
Date of Inspection: <i>Oct 7, 2013</i>
Shift: 1 st Shift or <i>2nd Shift</i> Time: <i>6:00</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>-</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>-</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>10-7-13</u>
Shift: <u>(1st Shift)</u> or <u>2nd Shift</u> Time: <u>500</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>nor</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>nor.</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>10-7-13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>500</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR.</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Darren and Joe</i>
Date of Inspection:	<i>10-8-2013</i>
Shift: 1 st Shift or 2 nd Shift	Time: <i>6:00</i>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<i>Nor</i>	-
Visible Emission From Discharge Conveyor System	<i>Nor</i>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Darren Adje</i>	
Date of Inspection:	<i>10-9-2013</i>	
Shift: 1 st Shift or 2 nd Shift	<i>2nd</i>	Time: <i>6:00</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>NOT</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>NOT</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylog
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Smellro	
Date of Inspection:	Oct 9, 13	
Shift: <u>1st Shift</u> or 2 nd Shift	Time:	5:00

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:
Date of Inspection:
Shift: 1 st Shift or 2 nd Shift Time:

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker		
Visible Emission From Discharge Conveyor System		

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Oct 10, 13</u>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Darren Adje</i>	
Date of Inspection:	<i>10-11-2013</i>	
Shift: 1 st Shift or 2 nd Shift	Time: <i>6:00</i>	

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>-</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>-</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Oct 11, 13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daying...

{Stack SDS 04}

VISIBLE EMISSION NOTATIONS

Inspector:	Ted Compton		
Date of Inspection:	10/12/13		
Shift:	1 st Shift	or	2 nd Shift
Time:	5:00 AM		

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Normal</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>Normal</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Darren Andjoe</i>
Date of Inspection: <i>10-13-2013</i>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <i>6:00</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>—</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>—</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smellco</u>
Date of Inspection: <u>Oct 13, 13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Darren Adjo</i>	
Date of Inspection:	<i>10.14.2013</i>	
Shift: 1 st Shift or 2 nd Shift	Time: <i>6:00</i>	

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Not</i>	—
Visible Emission From Discharge Conveyor System	<i>Not</i>	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Oct 14, 13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>500</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>nor</u>	
Visible Emission From Discharge Conveyor System	<u>nor</u>	

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Oct 17, 13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>nor</u>	-
Visible Emission From Discharge Conveyor System	<u>nor</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Ted Compton	
Date of Inspection:	10/18/13	
Shift: 1 st Shift or 2 nd Shift	Time:	5:00 AM

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	Normal	_____
Visible Emission From Discharge Conveyor System	Normal	_____

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <i>Ted Compton</i>
Date of Inspection: <i>10/19/13</i>
Shift: 1 st Shift or <u>2nd</u> Shift Time: <i>5:00 AM</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Ted Compton</i>
Date of Inspection:	<i>10/20/13</i>
Shift: 1 st Shift or <u>2nd</u> Shift	Time: <i>5:00 AM</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<hr/>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<hr/>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Oct 20, 13</u>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	NOR	-
Visible Emission From Discharge Conveyor System	NOR	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Ted Compton</i>
Date of Inspection:	<i>10/21/13</i>
Shift: 1 st Shift or <u>2nd</u> Shift	Time: <i>5:00 AM</i>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Nor</i>	<i>_____</i>
Visible Emission From Discharge Conveyor System	<i>Nor</i>	<i>_____</i>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>- Smelko</u>
Date of Inspection: <u>Oct 21, 13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smellko</u>
Date of Inspection: <u>Oct 22, 13</u>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	Stagner	
Date of Inspection:	10/23/13	
Shift: 1 st Shift or 2 nd Shift	Time: 0500	

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	Nor	—
Visible Emission From Discharge Conveyor System	Nor	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector:	<i>Stagner</i>		
Date of Inspection:	<i>10/25/13</i>		
Shift: 1 st Shift or <u>2nd</u> Shift	Time:	<i>@ 0500</i>	

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<i>Normal</i>	—
Visible Emission From Discharge Conveyor System	<i>Normal</i>	—

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelfo</u>
Date of Inspection: <u>Oct 25, 13</u>
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NGR</u>	-
Visible Emission From Discharge Conveyor System	<u>NGR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Stagner</u>
Date of Inspection: <u>10/27/13</u>
Shift: 1 st Shift or <u>(2nd Shift)</u> Time: <u>6:00 SD</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>Nor</u>	-
Visible Emission From Discharge Conveyor System	<u>Nor</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Oct 27, 13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or <u>ABNORMAL</u>	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Oct 28, 13</u>
Shift: <u>1st Shift</u> or <u>2nd Shift</u> Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	<u>-</u>
Visible Emission From Discharge Conveyor System	<u>NOR</u>	<u>-</u>

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>SmelKO</u>		
Date of Inspection: <u>Oct 30, 13</u>		
Shift: <u>1st Shift</u> or 2 nd Shift Time: <u>500</u>		
Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.

D.1.12 Daily Visible Emissions Notations Per Each Daylight Shift
(Stack SDS 04)

VISIBLE EMISSION NOTATIONS

Inspector: <u>Smelko</u>
Date of Inspection: <u>Oct 31, 13</u>
Shift: <u>1st</u> Shift or 2 nd Shift Time: <u>5:00</u>

Unit	Visual Inspection <u>NORMAL</u> or ABNORMAL	Comments
Visible Emission From Shaker	<u>NOR</u>	-
Visible Emission From Discharge Conveyor System	<u>NOR</u>	-

- Visible inspection must be performed during normal daylight operations and during the part of operations that would normally be expected to cause the greatest emissions.
- **Opacity** is a measure of the degree to which emissions reduce the transmission of light and obscure the view of an object in the background.